

ISO 9001:2015 Certified
CH.BRAHM PRAKASH AYURVED CHARAK SANSTHAN

(An Autonomous Institution under Govt. of NCT of Delhi)
Village:Khera Dabar, Najafgarh, Delhi-110073
Email: cbpayurved@yahoo.co.in , cbpayurved@gmail.com
Website: www.Cbpacs.com

F3 (371)/16/CBPACS/Hosp./BMW 1815-1820


Dated: 26/06/24

The Chairman,
DPCC
Building, 4th & 5th Floor ISBT,
GT Karnal RD, Kashmere Gate, New Delhi, Delhi 110006

Subject: Annual Report of BMW

Sir,


Please find enclosed Annual Report of BMW for the year 2023 for the period from 1st January 2023 to 31st December 2023 in respect of Ch. Brahm Prakash Ayurved Charak Sansthan, Khera Dabar, New Delhi.


Prof. (Dr.) M.B. Gaur
Director-Principal

Director-Principal
Ch. Brahm Prakash Ayurved Charak Sansthan
(Govt. of NCT of Delhi)
Khera Dabar, Najafgarh, New Delhi-73

Copy to:

1. Addl. Director (BMW Management), Directorate of Health Services, GNCTD
F-17, KarKardooma, Delhi- 110032
2. Nodal Officer (BMW), CBPACS
3. Website Committee, CBPACS with a request to upload on the website
4. P.A to Director- Principal, CBPACS
5. Guard file, CBPCAS


Prof. (Dr.) M.B. Gaur
Director-Principal

Director-Principal
Ch. Brahm Prakash Ayurved Charak Sansthan,
(Govt. of NCT of Delhi)
Khera Dabar, Najafgarh, New Delhi-73

ISO: 9001:2015 CERTIFIED
CH.BRAHM PRAKASH AYURVED CHARAK SANSTHAN
(An Autonomous Institution under GNCTD)

Khera Dabar, Najafgarh, New Delhi-110073

Email: cbpacs.hospital@gmail.com Website: www.cbpacs.delhi.gov.in

F3(371)/16/CBPACS/Hosp./BMW Management/634

Date: 29/04/2023

Minute of Meeting

A meeting of BMW committee was held on 03.03.2023 in the chamber of Medical Superintendent at 2.30PM. The following members attended the meeting-

1. Dr. Subash Sahu, Medical Superintendent
2. Dr. Unnikrishnan S, Nodal officer, BMW
3. Dr. Arun Gupta, Co-ordinator, BMW
4. Dr. Riju Agarwal, I/c HOD-Shalakyia Tantra
5. Dr. Mahesh Kumar, Representative of I/c HOD-Shalya Tantra
6. Dr. Trapti Agarwal, Asstt. Prof., PTSR
7. Mr. Sachin, ANS

The following points were discussed in the meeting:-

1. The annual report BMW 2022 Draft is prepared and sent to all members for feedback.
2. Existing SOP of BMW management has to be sent to members for their feedback and thereafter for the signature of Director- Principal
3. The process of renewal of barcoding service of BMW is due by the end of April 2023. It has to be renewed in time. Therefore the firm shall be contacted to complete the process in time.
4. As per the last meeting one member each from the departments of Kayachikitsa, and Kaumarbhritya are to be included in the committee. It was suggested to add Dr. Jitendra Varsakiya and Dr. Jitesh Verma and the same was accepted by all the members.

[Signature]
18/4/2023
ANS

[Signature]
18/4/23
Asstt. Prof.-PTSR

[Signature]
18/4/23
I/c HOD-Shalakyia Tantra

[Signature]
I/C HOD - Shalya Tantra

[Signature]
Prof. (Dr.) Unnikrishnan S.
(Nodal Officer)

[Signature]
18/4/23
Prof. (Dr.) Arun Gupta
[Signature]
18/4/23
Medical Superintendent

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	Prof. (Dr.) M.B. Gaur
	(i) Name of the authorized person (occupier or operator of facility)	:	Ch. Brahm Prakash Ayurved Charak Sansthan
	(ii) Name of HCF or CBMWTF	:	Khera Dabar, New Delhi-110073
	(iii) Address for Correspondence	:	Khera Dabar, New Delhi-110073
	(iv) Address of Facility	:	
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	cbpayurved@gmail.com
	(vii) URL of Website	:	www.cbpacs.delhi.gov.in
	(viii) GPS coordinates of HCF or CBMWTF	:	NA
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) Autonomous Institution under Delhi State Govt.
	(x). Status of Authorization under the Bio- Medical Waste (Management and Handling) Rules	:	Authorization No.: DPCC/BMW/AUTH/2022/24467, Application No: 5735305/Auth/112 Valid upto: 02/04/2026
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: 25.03.2021 to 24.03.2026
2	Type of Health Care Facility	:	Teaching Hospital
	(i) Bedded Hospital	:	No. of Beds: 210
	(ii) Non-bedded hospital	:	NA
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	NA
3	Details of CBMWTF	:	SMS Water Grace BMW Pvt. Ltd. Delhi Jal board STP complex, Nilothi, New Delhi
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 982.450 Red Category: 1190.400 White: 14.010 Blue Category: 105.530 General Solid Waste: 2000 Kg/ per Month Approx.

5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility																																																					
	(i) Details of the on-site storage facility	Size: 25x25 Sq. Ft. Capacity: 6250 Cu. Ft. Provision of on-site storage : (Cold storage or any other provision) -NA																																																				
	(ii) Disposal facilities	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity Treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Plasma Pyrolysis</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Autoclaves</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Microwave</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Hydroclave</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Shredder</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Needle tip cutter</td><td>7</td><td>-</td><td>-</td></tr> <tr><td>Sharps</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Encapsulation or concrete pit</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Deep burial pits</td><td>Nil</td><td>-</td><td>-</td></tr> <tr><td>Chemical disinfection:</td><td>1</td><td>-</td><td>-</td></tr> <tr><td>Any other treatment equipment:</td><td>Nil</td><td>-</td><td>-</td></tr> </tbody> </table>	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum	Incinerators	Nil	-	-	Plasma Pyrolysis	Nil	-	-	Autoclaves	Nil	-	-	Microwave	Nil	-	-	Hydroclave	Nil	-	-	Shredder	Nil	-	-	Needle tip cutter	7	-	-	Sharps	Nil	-	-	Encapsulation or concrete pit	Nil	-	-	Deep burial pits	Nil	-	-	Chemical disinfection:	1	-	-	Any other treatment equipment:	Nil	-	-
Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum																																																			
Incinerators	Nil	-	-																																																			
Plasma Pyrolysis	Nil	-	-																																																			
Autoclaves	Nil	-	-																																																			
Microwave	Nil	-	-																																																			
Hydroclave	Nil	-	-																																																			
Shredder	Nil	-	-																																																			
Needle tip cutter	7	-	-																																																			
Sharps	Nil	-	-																																																			
Encapsulation or concrete pit	Nil	-	-																																																			
Deep burial pits	Nil	-	-																																																			
Chemical disinfection:	1	-	-																																																			
Any other treatment equipment:	Nil	-	-																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	: Red Category (like plastic, glass, etc.)-NA																																																				
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	: NA																																																				
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	<table border="1"> <thead> <tr> <th></th> <th>Quantity Generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr><td>Incineration</td><td>-</td><td>-</td></tr> <tr><td>Ash</td><td>-</td><td>-</td></tr> <tr><td>ETP Sludge</td><td>-</td><td>-</td></tr> </tbody> </table>		Quantity Generated	Where disposed	Incineration	-	-	Ash	-	-	ETP Sludge	-	-																																								
	Quantity Generated	Where disposed																																																				
Incineration	-	-																																																				
Ash	-	-																																																				
ETP Sludge	-	-																																																				
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	SMS Water Grace BMW Pvt. Ltd. Delhi Jal board STP complex, Nilothi, New Delhi																																																				
	(vii) List of member HCF not handed Over bio-medical waste.	NA																																																				
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, Copy of minutes (Attached)																																																				

	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management	2	
	(ii) Number of personnel trained	81	
	(iii) Number of personnel trained at the time of induction	0	
	(iv) Number of personnel not undergone any training so far	0	
	(v) Whether standard manual for training is available?	Yes	
8	Details of the accident occurred during the year	Nil	
	(i) Number of Accidents occurred	-	
	(ii) Number of persons affected	-	
	(iii) Remedial Action taken (Please attach details if any)	-	
	(iv) Any Fatality occurred, details	-	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA	
	Details of Continuous online emission monitoring systems installed	NA	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Meeting standards	
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA	
12	Any other relevant information	Nil	

Certified that the above report is for the period from 01-01-2023 to 31-12-2023

Post
Date: 26/1/2024
Place: New Delhi

Prof. (Dr.) M.B. Gaur
Director-Principal
Director-Principal
Dr. Brahm Prakash Ayurved Charak Sansthan
(Govt. of NCT of Delhi)
Khara Dabar, Najafgarh, New Delhi-73

TEST-REPORT

GTHPLQR-36

Issued to:-

Skyline Air Conditioning Engineers Pvt. Ltd.
E-76, L.G.F. Kalkaji, New Delhi- 110019

Report No. GTHPL20223011/03
Date of Receipt: 30/11/2022
Date of Performance: 01-07/11/2022
Date of Issue: 07/11/2022
SRF NO: GTHPL/2022/07/11/02

Name of Work: Comprehensive Maintenance Of Electrical, Civil & Horticulture operations relating day to day Maintenance, Special Repair etc. Of Ch. Brahm Prakash Auryved charak sansthan, Khara Dabar, Najafgarh, Delhi during 2022-23 & 2023-24

Reff No. /Agreement No.:- 34/EE(E)/PWD EMD South West/2022-23

Name Of Agency:- Skyline Air Conditioning Engineers Pvt. Ltd.

Sample Description:- STP Water

Sample Condition:- Satisfactory

S No.	Parameters	Permissible Limits	Unit	Result	Test Method
1.	pH Value	6.5-9.0	--	6.54	IS 3025(Part-11):1983 Reaff-2017
2.	Chemical Oxygen Demand (COD)	250 mg/l	Mg/l	60	IS 3025(Part-58):2006 Reaff-2017
3.	Bio Chemical Oxygen Demand (BOD) After 3 Days	30 mg/l	Mg/l	15	IS 3025(Part-44):1993 Reaff-2009
4.	Total Suspended Solid (TSS)	100 mg/l	Mg/l	8.0	IS: 3025(Part-17)-1984, Reaff:2017
5.	Oil & Grease	10 mg/l	Mg/l	0.16	IS 3025(Part-39):1991, Reaff- 2003
6.	Total dissolved solids(TDS)	----	Mg/l	900	IS 3025(Part16): 1984, Reff-2017
7.	Acute Toxicity By Bio-Assay	90% survival of fish after 96 hours in 100% effluent	%	94	IS 6582-1971

Remark:- The above tested parameters meet the requirement in acceptable limit according to the above requirements.

End of Report



Authorised Signatory