Form – IV
(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Prof. (Dr.) M.B. Gaur
	(ii) Name of HCF or CBMWTF	:	Ch. Brahm Prakash Ayurved Charak Sansthan
	(iii) Address for Correspondence	:	Khera Dabar, New Delhi-110073
	(iv) Address of Facility	:	Khera Dabar, New Delhi-110073
	(v)Tel. No, Fax. No	:	
	(vi) E-mail ID	:	cbpayurved@gmail.com
	(vii) URL of Website	:	www.cbpacs.delhi.gov.in
	(viii) GPS coordinates of HCF or CBMWTF	:	NA
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt.or any other) Autonomous Institution under Delhi State Govt.
	(x). Status of Authorization under the Bio- Medical Waste (Management and Handling) Rules	:	Authorization No.: DPCC/BMW/AUTH/2022/24467, Application No: 5735305/Auth/112 Valid upto:02/04/2026
	(xi). Status of Consents under Water Act and Air Act	:	Validity
2	Type of Health Care Facility	:	Teaching Hospital
	(i) Bedded Hospital	:	No. ofBeds:210
	(ii) Non-bedded hospital Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	NA
3	Details of CBMWTF	:	**SMS Water Grace BMW Pvt. ltd. Delhi Jal board STP complex, Nilothi, New Delhi**
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____Kg /day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____Kg /day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	*Yellow Category: 544.77* *Red Category: 508.19* *White: 11.69* *Blue Category: 51.63* *General Solid Waste: 2000 Kg/ per Month Approx.*

5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-sitestorage Facility	:	Size:25x25 Sq. Ft. Capacity: 6250Cu. Ft. Provision of on-site storage : (Cold storage orany other provision) –NA

(ii) Disposalfacilities

Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treatedor disposed in kgper annum
Incinerators	Nil	-	-
Plasma Pyrolysis	Nil	-	-
Autoclaves	Nil		
Microwave	Nil	-	-
Hydroclave	Nil	-	-
Shredder	Nil	-	-
Needle tip cutter	7	-	-
Sharps	Nil	-	-
Encapsulation or concretepit	Nil	-	-
Deep burial Pits	Nil	-	-
Chemical disinfection:	1	-	-
Any other treatment equipment:	Nil	-	-

	(iii)Quantity of recyclablewastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.)-NA
	(iv)No. of Vehicles usedfor collection and transportation of biomedical waste	:	NA

(v)Details of incineration ash and ETP sludge generated and disposed during the treatmentof wastes in Kg perannum

	Quantity Generated	Where disposed
Incineration	-	-
Ash	-	-
ETP Sludge	-	-

	(vi)Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposedof		**SMS Water Grace BMW Pvt. ltd. Delhi Jal board STP complex, Nilothi, New Delhi**
	(vii)List of member HCF nothanded Over bio-medical waste.		NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes, Copy of minutes (Attached)

470/c

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		3
	(ii) Number of personnel trained		41
	(iii) Number of personnel trained at the time of induction		0
	(iv) Number of personnel not undergone any training so far		0
	(v) Whether standard manual for training is available?		Yes
8	Details of the accident occurred during the Year		Nil
	(i) Number of Accidents occurred		-
	(ii) Number of persons affected		-
	(iii) Remedial Action taken (Please attach details if any)		-
	(iv) Any Fatality occurred, details		-
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Meeting the standards
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you havenotmet the standards in a year?		NA
12	Any other relevant information		Nil

Certified that the above report is for the period from 01-01-2025 to 31-12-2025.

Prof. (Dr.) M.B. Gaur
Director-Principal
Director-Principal
Ch. Brahm Prakash Ayurved Charak Sansthan
(Govt. of NCT of Delhi)
Khera Dabar, Najafgarh, New Delhi-73

Date: 7-5-26

Place: